



# 污水处理厂运行情况记录表

2020年1月(一期)

企业单位名称 (盖章): 中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	6.4707	110	10	17.5	0.62	20.68	/	593859	注: cod、氨氮 进出水 浓度均 为企业 自测数 据
2	6.3336	115	10	10.9	0.5	0	/		
3	6.0677	124	10	20	1.19	22.05	/		
4	5.8371	93	10	21.7	1.51	0	/		
5	6.2323	178	10	27	0.78	20.43	/		
6	6.0177	119	10	18.7	0.69	0	/		
7	6.2356	229	10	25.5	0.71	28.98	/		
8	6.1099	181	10	24.9	1.52	0	/		
9	5.9472	186	10.3	21.6	0.9	41.73	/		
10	6.1786	143	10	16.2	0.51	0	/		
11	5.7478	240	10	14.5	0.24	78.08	/		
12	5.8639	454	10	18.4	0.36	0	/		
13	6.1375	209	10	19	0.15	33.98	/		
14	6.1442	286	10	21.1	0.74	0	/		
15	5.7784	194	10	19.8	0.46	0	/		
16	6.001	250	10.4	20.7	0.34	0	/		
17	5.9729	264	10	21.5	1.52	73.14	/		
18	5.8524	222	10	22.4	1.35	0	/		
19	5.7078	202	10	19.9	0.72	77.33	/		
20	5.9714	139	10	19.8	0.56	0	/		
21	6.3559	302	10	22	1	73.64	/		
22	6.2249	118	10	16	0.67	0	/		
23	6.3158	73	10	13.1	0.3	75.64	/		
24	6.2159	93	10	14	0.21	0	/		
25	6.2889	128	10	13.8	0.12	56.97	/		
26	6.4893	135	11	13.2	0.2	0	/		
27	6.2927	131	10	9.67	0.17	65.46	/		
28	6.4061	64	10	7.65	0.48	0	/		
29	6.0819	62	10	8.25	0.75	40.85	/		
30	6.0189	60	10	11.6	0.11	0	/		
31	6.0136	68	10	10.7	0.09	0	/		
合计 (或加权 平均)	189.312	166	10.1	17.4	0.624	708.96	/	593859	



## 污水处理厂运行情况记录表

### 2020年1月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	6.227	151	10	19	0.53	0	/	567605	注：cod、氨氮 进出水 浓度均 为企业 自测数 据
2	6.0883	167	10	11.6	0.55	32.5	/		
3	5.8306	177	10	20.8	1.04	0	/		
4	5.5807	143	10	21.1	1.43	5.62	/		
5	5.9907	152	10	22.1	0.66	0	/		
6	5.7876	167	10	20	0.83	34.29	/		
7	5.9917	385	10	25.1	0.67	0	/		
8	5.8588	264	10	22.3	1.47	7.31	/		
9	5.6908	165	10.6	16.9	1.18	0	/		
10	5.9008	138	10	19.2	0.49	66.52	/		
11	5.475	176	10	19.4	0.18	0	/		
12	5.5956	177	10	15.5	0.19	81.76	/		
13	5.8707	154	11.8	17.5	0.21	0	/		
14	5.8874	169	10	18.1	0.67	76.08	/		
15	5.5285	144	10	16.4	0.52	103.75	/		
16	5.7552	175	10	18.1	0.42	73.14	/		
17	5.6895	175	10	17.1	1.4	0	/		
18	5.5487	238	10	19.3	1.27	49.53	/		
19	5.4164	239	10	20.6	0.8	0	/		
20	5.6648	224	10	19.1	0.51	52.97	/		
21	6.0451	223	10	21.3	1.27	0	/		
22	5.9215	158	10	18.8	0.83	62.59	/		
23	6.0164	203	10	18.7	0.28	0	/		
24	5.9211	106	10	16.3	0.22	63.9	/		
25	5.993	144	10	16.5	0.13	0	/		
26	6.2003	110	10	11.3	0.15	76.89	/		
27	6.0028	98	10	9.57	0.62	0	/		
28	6.1098	122	10	8.85	0.35	67.65	/		
29	5.8113	84	10	10	0.29	0	/		
30	5.7713	94	10	13	0.11	26.61	/		
31	5.7706	281	10	12.1	0.11	59.15	/		
合计 (或加权 平均)	180.942	174	10.1	17.2	0.622	940.26	/	567605	



# 污水处理厂运行情况记录表

2020年2月(一期)

企业单位名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	6.1497	109	10	10.2	0.33	0	/	470100	注: cod、氨氮 进出水 浓度均 为企业 自测数 据
2	6.1373	74	10	10.8	0.32	0	/		
3	5.4547	183	10	17.1	0.14	34	/		
4	5.4708	93	10	13.8	0.14	59.51	/		
5	5.2085	178	10	12.6	0.14	55.16	/		
6	5.6315	101	10	11.9	0.23	0	/		
7	5.7231	108	10	13.8	0.23	40.72	/		
8	5.303	91	10	13.4	0.13	0	/		
9	5.2945	274	10	13.3	0.1	54.25	/		
10	5.4152	278	10	13.3	0.1	0	/		
11	5.2642	104	10	13.2	0.16	51.98	/		
12	4.9592	95	10	15.1	0.2	0	/		
13	5.2701	158	10	12.1	0.07	46.17	/		
14	5.2994	302	10	9.26	0.07	0	/		
15	4.9192	/	10	6.56	0.28	62.19	/		
16	4.8963	257	10	9.08	0.15	54.66	/		
17	5.2212	164	10	14.8	0.15	45.77	/		
18	5.729	188	10	11.4	0.44	56.98	/		
19	5.7728	337	10	11.1	0.26	0	/		
20	5.9739	250	10	12.1	0.53	0	/		
21	6.3318	/	10	11.4	1.44	0	/		
22	6.5045	165	10	11.6	1.7	0	/		
23	6.7521	124	10	12.2	2.04	82.04	/		
24	6.919	111	10	10.9	2.55	0	/		
25	7.1477	69	10	13	2.94	76.28	/		
26	6.8446	109	10	12.3	2.28	0	/		
27	7.499	104	10	12.9	3.04	78.15	/		
28	7.5681	/	10	14.1	2.51	0	/		
29	7.9759	422	10	13.8	3.45	73.35	/		
/	/	/	/	/	/	/	/		
/	/	/	/	/	/	/	/		
合计 (或加权 平均)	172.636	171	10	12.3	1.05	871.21	/	470100	



## 污水处理厂运行情况记录表

### 2020年2月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	5.8997	151	10	13.2	0.31	61.28	/	450596	注：cod、氨氮 进出水 浓度均 为企业 自测数 据
2	5.9001	62	10	11.4	0.22	65.52	/		
3	5.2284	127	10	14.1	0.08	0	/		
4	5.2637	78	10	11.7	0.15	0	/		
5	4.9941	95	10	12.5	0.69	0	/		
6	5.4124	113	10	13	0.5	58.7	/		
7	5.5014	106	10	14.9	0.21	0	/		
8	5.0771	131	10	13	0.14	51.02	/		
9	5.0741	101	10	13.3	0.2	0	/		
10	5.1825	123	10	15.7	0.14	40.67	/		
11	5.0389	85	10	11.7	0.04	0	/		
12	4.7181	70	10	11.7	0.14	44.5	/		
13	5.0564	225	10	11.3	0.17	0	/		
14	5.0685	107	10	8.36	0.11	22.68	/		
15	4.7146	/	10	8.1	0.15	0	/		
16	4.6616	99	10	10	0.14	0	/		
17	4.9666	124	10	14.3	0.28	0	/		
18	5.4723	135	10	10.9	0.14	28.09	/		
19	5.5284	147	10	14.7	0.14	84.36	/		
20	5.7421	117	10	14.4	0.28	83.6	/		
21	6.0943	204	10	15.6	1.22	83.91	/		
22	6.214	151	10	16.4	1.65	83.25	/		
23	6.4594	143	10	15.5	1.78	0	/		
24	6.63	140	10	17.4	2.32	81.33	/		
25	6.865	156	10	15.7	2.09	0	/		
26	6.5697	126	10	17.8	2.09	80.83	/		
27	7.2017	207	10	15.4	2.31	0	/		
28	7.264	148	10	17	2.41	66.73	/		
29	7.675	112	10	15.5	3.38	0	/		
/	/	/	/	/	/	/	/		
/	/	/	/	/	/	/	/		
合计 (或加权 平均)	165.474	130	10	13.9	0.937	936.47	/	450596	



# 污水处理厂运行情况记录表

2020年3月(一期)

企业单位名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	7.9955	99	10	14.2	3	98.78	/	668448	注: cod、氨氮 进出水 浓度均 为企业 自测数 据
2	7.6377	124	10	15.2	2.91	0	/		
3	8.2441	88	10	14.7	3.34	85.49	/		
4	8.1647	118	10	13.6	2.88	95.63	/		
5	8.2425	108	10	11.6	2.72	110.97	/		
6	8.4911	/	10	11.6	1.64	0	/		
7	8.6339	165	10	16.6	2.05	97.55	/		
8	8.7635	176	10	36.6	1.91	0	/		
9	9.0545	100	10	14.4	2.62	120.63	/		
10	8.9296	144	10	14.9	2.11	0	/		
11	8.6017	90	10	12.3	1.59	102.07	/		
12	9.74	99	10	12	2.03	97.07	/		
13	10.051	94	10	13.6	3.19	0	/		
14	9.1528	65	10	16	2.65	0	/		
15	9.201	109	10	14.3	3.49	113.16	/		
16	9.718	84	10	13	2.77	0	/		
17	8.6265	117	10	17.4	0.69	109.53	/		
18	9.4017	142	10	15.7	1.27	0	/		
19	8.8912	189	10	14	0.71	105.97	/		
20	8.8121	111	12.1	13.7	0.39	0	/		
21	9.7476	258	10	15.2	0.82	114.53	/		
22	9.5796	132	10	17.1	0.77	0	/		
23	8.9424	207	10	17.4	0.82	50.42	/		
24	9.2911	143	10	14	0.19	0	/		
25	9.5967	126	10	14.3	0.19	68.43	/		
26	9.1459	118	11.2	15.7	0.07	0	/		
27	8.159	250	10	13.8	0.09	44.32	/		
28	8.7492	108	10	6.44	0.11	0	/		
29	8.7738	91	10	9.95	0.05	78.64	/		
30	8.9247	/	10	12.3	0.06	0	/		
31	8.3964	82	10	11.2	0.1	0	/		
合计 (或加权 平均)	275.66	129	10.1	14.6	1.51	1493.19	/	668448	



## 污水处理厂运行情况记录表

### 2020年3月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	7.6922	97	10	15	2.96	0	/	650153	注：cod、氨氮 进出水 浓度均 为企业 自测数 据
2	7.3428	163	10	20.1	2.86	57.46	/		
3	7.9471	123	10	16.7	3.39	0	/		
4	7.8835	119	10	17.3	2.63	0	/		
5	7.9669	129	10	13.3	2.66	0	/		
6	8.2208	193	10	17.8	1.4	115.49	/		
7	8.3659	/	10	18.9	2.08	0	/		
8	8.4956	175	10	20.5	1.42	110.9	/		
9	8.8076	130	10	17.8	2.47	0	/		
10	8.6663	186	10	15.5	2.19	94.81	/		
11	8.3438	141	10	15.4	1.52	0	/		
12	9.5101	147	10	13.6	1.82	0	/		
13	9.8384	263	10	14.9	3.17	100.35	/		
14	8.9022	126	10	16.5	2.51	101.11	/		
15	8.9441	156	10	17.6	3.15	0	/		
16	9.4933	92	10	15.7	3.01	81.79	/		
17	8.3855	111	10	19.5	0.76	0	/		
18	9.1599	101	10	17.3	1.13	84.53	/		
19	8.6394	137	10	14.6	0.69	0	/		
20	8.5516	106	13.1	13.9	0.36	100.35	/		
21	9.5324	188	10	13	0.82	0	/		
22	9.369	152	10	16.3	0.77	96.18	/		
23	8.7258	150	10	14.7	0.78	0	/		
24	9.1	130	10	15.5	0.21	65.49	/		
25	9.4173	214	10	15.7	0.18	0	/		
26	8.9521	192	10	15	0.07	76.72	/		
27	7.9182	159	10	10.9	0.11	30.14	/		
28	8.5283	138	10.3	9.64	0.1	84.39	/		
29	8.5658	131	10	12.6	0.02	0	/		
30	8.7028	136	10	13.6	0.07	107.55	/		
31	8.1465	160	10	15.3	0.08	84.6	/		
合计 (或加权 平均)	268.115	149	10.1	15.6	1.45	1391.86	/	650153	



# 污水处理厂运行情况记录表

2020年4月(一期)

企业单位名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	6.723	177	10	12	0.05	0	/	348049	注: cod、氨氮进出水浓度均为企业自测数据, 2020年4月4日至2020年4月30日因二期管网封堵, 期间我司一二期污水处理系统进水大半部分由一期管网提供, 2020年4月12日至2020年4月20日停产因工艺需要, 一期污水处理系统停止进水。
2	7.9537	110	10	11	0.08	0	/		
3	5.2952	134	10.9	11.9	0.11	17.49	/		
4	5.5031	119	10	11.3	0.09	0	/		
5	5.4684	99	10	9.56	0.12	54.43	/		
6	6.6557	/	10	4.93	0.06	0	/		
7	5.4736	0	10	0	0.09	44.01	/		
8	5.05	85	10	10.4	0.93	0	/		
9	4.4688	0	10.5	0	2.04	0	/		
10	4.5764	/	10	8.8	1.57	0	/		
11	4.433	0	11	0	2.05	0	/		
12	2.2322	/	/	/	/	0	/		
13	停产	停产	停产	停产	停产	0	/		
14	停产	停产	停产	停产	停产	0	/		
15	停产	停产	停产	停产	停产	0	/		
16	停产	停产	停产	停产	停产	0	/		
17	停产	停产	停产	停产	停产	0	/		
18	停产	停产	停产	停产	停产	0	/		
19	停产	停产	停产	停产	停产	0	/		
20	停产	停产	停产	停产	停产	0	/		
21	2.9515	106	11	16.9	1.99	0	/		
22	5.6917	73	11.7	13.4	1.36	31.19	/		
23	7.0306	87	11	8.73	0.1	76.59	/		
24	6.2311	96	11.9	12.8	0.09	0	/		
25	6.966	100	10.2	17.3	1.3	79.88	/		
26	7.1179	123	10	19.8	1.39	0	/		
27	7.0169	106	10	16.6	0.61	86.44	/		
28	6.5331	84	10	17.7	0.24	0	/		
29	6.3728	98	10	17.4	0.26	87.39	/		
30	6.3725	108	10.8	16.6	0.17	87.39	/		
/	/	/	/	/	/	/	/		
合计 (或加权平均)	126.117	107	10.4	13.2	0.614	564.81	/	348049	




## 污水处理厂运行情况记录表

2020年4月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	6.4735	159	10	16.5	0.05	96.05	/	556549	注：cod、氨氮进出水浓度均为企业自测数据，2020年4月4日至2020年4月20日因二期管网封堵，期间我司一二期污水处理系统进水大部分由一期管网提供，2020年4月12日至2020年4月20日停产因工艺需要，一期污水处理系统停止进水。
2	7.6994	160	10	15.4	0.07	55.69	/		
3	5.1699	157	10.8	15.4	0.19	0	/		
4	5.191	200	10	13	0.1	77.35	/		
5	5.1711	159	10	12.1	0.08	33.59	/		
6	6.332	91	10	8.54	0.06	61.94	/		
7	5.1639	65	10	8.13	0.06	0	/		
8	4.7473	252	10	15.9	0.78	59.1	/		
9	4.1662	215	11.1	16.8	1.91	58.15	/		
10	4.2738	248	10	12.5	1.25	32.33	/		
11	4.1245	329	11.9	20.6	1.73	78.49	/		
12	5.1197	291	10	21	1.37	64.78	/		
13	7.4384	475	10.9	33.6	1.97	75.9	/		
14	7.3793	350	10	17	3.44	76.72	/		
15	8.0371	233	10	22.7	2.31	77.67	/		
16	8.6809	211	10	16.1	2.23	57.27	/		
17	8.433	186	11.2	16.9	2.38	75.14	/		
18	8.292	208	11.3	18.9	2.08	67.94	/		
19	9.5955	203	10.4	21.5	3.66	46.47	/		
20	9.6032	163	10.2	17.8	3.21	85.81	/		
21	9.7397	171	10.5	17.5	0.15	85.18	/		
22	8.7884	210	10.2	14.1	0.05	9.03	/		
23	6.8535	154	11.4	12.8	0.1	0	/		
24	6.0371	228	10.8	14.8	0.09	58.91	/		
25	6.7736	280	10.3	20.9	1.23	0	/		
26	6.8889	393	10.1	19.5	1.49	71.92	/		
27	6.8018	190	10	17.8	0.61	0	/		
28	6.3191	215	10	13.5	0.24	88.84	/		
29	6.1784	241	10	22.1	0.24	0	/		
30	6.1959	186	10.9	19	0.12	0	/		
/	/	/	/	/	/	/	/		
合计 (或加权平均)	201.668	220	10.4	17.4	1.22	1494.27	/	556549	





# 污水处理厂运行情况记录表

2020年5月(一期)

企业单位名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	6.4517	141	10	17.6	0.51	65.8	/	451577	注: cod、氨氮进出水浓度均为企业自测数据,二期管网封堵,期间我司一二期污水处理系统进水大部分由一期管网提供,2020年5月13日至2020年5月31日因工艺需要,一期污水处理系统停止进水。
2	5.9617	128	10.9	17.2	0.17	0	/		
3	6.1282	122	10	18.2	0.56	62.2	/		
4	6.0018	/	10	20.5	0.11	0	/		
5	6.4289	156	10	18.1	0.14	61.56	/		
6	6.223	244	10	18.1	0.15	0	/		
7	6.1501	93	10	14.2	0.17	56.11	/		
8	6.4757	223	10	18.9	1.37	0	/		
9	5.4601	134	10	17.3	1.06	65.41	/		
10	5.7902	134	10.1	14.8	0.06	0	/		
11	4.4784	264	12.3	11.3	0.09	48.27	/		
12	5.4903	185	10	10.4	0.09	0	/		
13	5.3829	/	10	/	0.18	0	/		
14	5.5544	/	10	/	0.27	0	/		
15	5.4752	/	10	/	0.51	0	/		
16	5.3196	/	10	/	0.58	0	/		
17	4.8247	/	10	/	1.54	0	/		
18	5.0304	/	10.2	/	0.98	56.75	/		
19	4.5567	/	10	/	1.61	0	/		
20	4.326	/	10	/	0.84	0	/		
21	3.8826	/	10	/	0.44	0	/		
22	3.6505	/	10	/	0.14	0	/		
23	4.0823	/	11	/	0.07	51.36	/		
24	4.0595	/	10	/	0.06	0	/		
25	4.0238	/	10	/	0.08	31.2	/		
26	3.0675	/	11	/	0.23	0	/		
27	4.2201	/	10	/	0.08	33.45	/		
28	3.6369	/	10	/	0.01	0	/		
29	2.5759	/	10	/	0.38	0	/		
30	4.1882	/	10	/	0.08	0	/		
31	4.0151	/	10	/	0.14	0	/		
合计 (或加权平均)	152.9124	164	10.2	16.6	0.424	532.11	/	451577	



## 污水处理厂运行情况记录表

### 2020年5月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	6.2728	282	10.4	22.5	0.55	0	/	454163	注：cod、氨氮 进出水 浓度均 为企业 自测数 据
2	5.7835	210	10.4	15.6	0.16	48.86	/		
3	5.955	222	10	19.4	0.52	0	/		
4	5.8225	208	10	18.3	0.07	60.21	/		
5	6.262	253	10	16.9	0.12	0	/		
6	6.0734	237	10	19.3	0.13	57.58	/		
7	6.0545	262	10	18.1	0.15	0	/		
8	6.3879	186	10	17.6	1.46	43.72	/		
9	5.3675	116	10	18.8	1.09	0	/		
10	5.7	215	10.9	18.7	0.06	72.73	/		
11	4.3929	141	10	6.4	0.06	0	/		
12	5.4103	/	10	10.8	0.07	67.53	/		
13	5.2413	/	10	10.8	0.18	31.97	/		
14	5.4231	/	10	12	0.29	52.83	/		
15	5.3429	53	10	14.5	2.2	60.21	/		
16	5.2108	120	10	17.3	2.12	46.86	/		
17	4.9143	158	10	21.6	1.57	50.14	/		
18	4.9359	214	10	13.8	0.87	0	/		
19	4.4874	146	10	15.8	1.59	67.28	/		
20	4.1923	254	10	22.7	0.82	44.1	/		
21	3.7441	/	10.6	17.4	0.4	65.67	/		
22	3.4715	170	10	9.4	0.11	38.71	/		
23	3.9404	90	10.6	12.3	0.06	0	/		
24	3.9268	134	10	11.9	0.06	44.17	/		
25	3.9027	233	10	19.8	0.04	0	/		
26	3.5652	131	11	11	0.21	68.3	/		
27	4.0938	137	10	11.6	0.08	0	/		
28	4.4449	108	10	13.8	0.33	33.7	/		
29	5.6512	162	10.3	14.4	0.85	25.55	/		
30	3.9898	148	10	11.9	0.05	52.96	/		
31	3.8274	121	10	14.3	0.14	30.56	/		
合计 (或加权 平均)	153.7881	180	10.1	15.8	0.553	1063.64	/	454163	



# 污水处理厂运行情况记录表

2020年6月(一期)

企业单位名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	3.9415	0	10	0	0.43	0	/	386922	注: cod、氨氮进出水浓度均为企业自测数据, 因二期管网封堵, 我司一二期污水处理系统进水大部分由一期管网提供, 2020年6月1日至2020年6月14日, 因工艺需要, 一期污水处理系统停止进水。
2	3.9578	0	10	0	1.02	0	/		
3	3.6704	0	10	0	0.05	0	/		
4	3.7566	0	10	0	0.27	0	/		
5	3.7194	0	10	0	1.84	0	/		
6	3.6377	0	10	0	0.9	0	/		
7	3.7199	0	10	0	0.06	0	/		
8	3.7846	0	10	0	0.06	20	/		
9	3.8207	0	10	0	1.35	56.66	/		
10	3.81	0	10	0	0.98	18.86	/		
11	3.7823	0	10	0	1.98	55.79	/		
12	4.0122	0	10.6	0	0.96	0	/		
13	4.1516	0	12.1	0	3.42	43.33	/		
14	4.0951	0	10	0	0.69	0	/		
15	3.9959	133	10	18.6	1.06	55.19	/		
16	3.9844	142	10	15.8	0.83	0	/		
17	3.8664	110	10.1	23.3	0.65	86.92	/		
18	4.4098	236	10	32	2.38	0	/		
19	4.834	117	12.4	17.7	3.08	0	/		
20	4.1023	425	10	16	0.93	0	/		
21	4.1435	129	10	15.3	0.39	83.85	/		
22	4.1882	258	10	16.6	0.38	0	/		
23	4.2627	126	10	15.7	1.68	0	/		
24	4.1104	103	10.9	14.6	1.34	0	/		
25	3.936	172	10	17.3	2.06	0	/		
26	3.8768	260	10.1	16.9	0.8	0	/		
27	4.0592	189	11.7	17.3	1.83	0	/		
28	3.9544	181	10	17.9	1.62	0	/		
29	4.2224	144	10	20.8	3.71	59.39	/		
30	5.0064	117	10	17.9	1.67	0	/		
/	/	/	/	/	/	/	/		
合计 (或加权平均)	120.813	176	10.3	18.4	1.32	479.99	/	386922	



## 污水处理厂运行情况记录表

### 2020年6月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	4.0407	180	10	17.5	0.35	46.07	/	451173	注：cod、氨氮 进出水 浓度均 为企业 自测数 据
2	4.6007	105	10	10.7	1	42.79	/		
3	4.2357	112	10	12.7	0.02	39.39	/		
4	4.358	109	10	16.4	0.31	47.19	/		
5	4.3338	145	10	16.8	1.91	27.06	/		
6	4.2278	143	10	11.7	0.81	53.19	/		
7	4.3273	70	10	6.82	0.06	58.06	/		
8	4.4133	140	10	9.48	0.03	7.67	/		
9	4.4551	96	10	9.03	1.42	0	/		
10	4.3015	132	10	16.6	0.99	37.13	/		
11	4.3538	112	10	17.1	1.88	0	/		
12	4.6826	201	12.6	15.5	0.89	55.26	/		
13	4.8741	208	13.3	20.7	3.2	0	/		
14	4.7851	258	10	16.2	0.52	56.06	/		
15	4.6624	182	10	18.6	0.98	0	/		
16	4.6456	191	10.1	17.1	0.84	65.52	/		
17	4.5087	276	10	19	0.7	0	/		
18	5.2268	313	10	14.8	2.46	81.86	/		
19	5.8366	134	10.6	16.6	2.92	56.93	/		
20	4.852	238	10	14.7	0.98	84.92	/		
21	4.8983	159	10	14.8	0.38	0	/		
22	4.9267	268	10	6.48	1.25	80.52	/		
23	5.047	183	10	14.1	1.57	79.12	/		
24	4.8417	138	10	11.4	1.21	50.99	/		
25	4.602	257	10	20.6	1.91	81.39	/		
26	4.5259	238	10	17.5	0.76	64.92	/		
27	4.7734	186	10	21.3	0.16	73.26	/		
28	4.6104	293	10	20.1	1.6	50.93	/		
29	4.9283	134	10	18.9	3.72	0	/		
30	5.9991	210	10	19.8	2.26	71.06	/		
/	/	/	/	/	/	/	/		
合计 (或加权 平均)	140.874	182	10.2	15.5	1.28	1311.29	/	451173	



# 污水处理厂运行情况记录表

2020年7月(一期)

企业单位名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	5.0288	73	10.3	15.5	1.43	59.07	/	593549	注: cod、氨氮 进出水 浓度均 为企业 自测数 据
2	5.0928	127	10.2	15.4	2.03	0	/		
3	5.4696	75	10.7	11.6	1.8	0	/		
4	5.1912	159	10	13.1	2.08	0	/		
5	5.5072	208	10	18.3	1.84	0	/		
6	5.5384	154	10.2	10.7	1.51	0	/		
7	5.276	110	10.3	13.7	0.62	0	/		
8	5.288	92	10	15.9	0.71	0	/		
9	5.848	88	11.2	20.1	2.67	0	/		
10	6.0176	73	11.2	20.3	3.49	0	/		
11	6.1456	237	16.5	22.6	2.95	0	/		
12	5.7584	78	15	19.4	2.86	0	/		
13	6.2816	113	15.5	13.9	2.91	0	/		
14	8.6024	91	15	19.4	3.1	0	/		
15	8.1384	77	15	16.7	2.91	0	/		
16	7.7464	87	15	16.6	2.6	0	/		
17	7.12	121	15	21.4	2.31	0	/		
18	7.5136	103	15	17.8	2.54	0	/		
19	7.6456	134	15	19.9	3.96	0	/		
20	8.3216	127	15	18.7	3.46	0	/		
21	8.0928	121	15	19.3	3.79	57.46	/		
22	8.4016	144	15	16.3	2.47	0	/		
23	8.0448	169	15	24	1.23	54.02	/		
24	7.9584	64	15	17.3	1.14	0	/		
25	7.3608	101	15	16.3	2.47	79.98	/		
26	8.016	193	15	12.3	3.42	0	/		
27	7.8976	279	15	19.5	2.44	69.52	/		
28	8.0384	233	15	20.6	1.78	0	/		
29	7.0904	169	15	21.1	1.42	75.35	/		
30	7.0592	256	15	22.8	1.71	0	/		
31	6.336	213	15	21.9	1.28	81.1	/		
合计 (或加权 平均)	211.827	139	13.9	18	2.35	476.5	/	593549	



## 污水处理厂运行情况记录表

### 2020年7月（二期）

企业名称名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	6.0382	128	10.5	17.2	1.62	0	/	627035	注：cod、氨氮 进出水 浓度均 为企业 自测数 据
2	6.096	127	10.6	16.4	1.95	60.56	/		
3	6.6281	142	10.8	15.1	1.7	65.1	/		
4	6.2825	114	10	13.7	2.11	67.42	/		
5	6.7053	120	10	13.1	1.59	42.51	/		
6	6.7313	137	10.2	14.2	1.36	71.84	/		
7	6.3786	123	10.7	13.2	0.55	56.54	/		
8	6.3855	127	10	13.8	0.65	60.61	/		
9	7.0915	158	11.8	16.4	2.45	33.25	/		
10	7.3633	111	12	16.8	3.32	76.47	/		
11	7.5656	141	15	16.6	2.98	54.37	/		
12	7.0482	183	15	17.4	2.74	79.34	/		
13	7.6702	114	16.5	15.5	2.74	65.8	/		
14	9.1034	174	15	12.2	2.92	59.14	/		
15	7.9077	154	15	15.3	2.8	48.62	/		
16	7.5065	188	15	20.1	2.52	77.73	/		
17	6.8714	160	15	20.1	2.08	54.79	/		
18	7.2631	99	15	20.4	2.32	56.96	/		
19	7.3515	131	15	19.2	3.75	58.93	/		
20	8.0849	146	15	16.3	3.3	54.72	/		
21	7.8616	121	15	17.4	3.56	0	/		
22	8.1678	106	15	15.8	2.3	42.51	/		
23	7.8302	129	15	17.8	1.14	0	/		
24	7.739	97	15	15.1	1.1	41.88	/		
25	7.1454	101	15	15.8	2.3	0	/		
26	7.8059	126	18	18.7	5.37	51.7	/		
27	7.6707	125	15	19	2.46	0	/		
28	7.7985	168	15	17.5	1.56	79.69	/		
29	6.8275	157	15	17.4	0.97	0	/		
30	6.8001	138	15	15.6	1.66	102.14	/		
31	6.058	161	15	19.8	1.14	0	/		
合计 (或加权 平均)	223.778	136	13.9	16.5	2.28	1462.62	/	627035	

# 污水处理厂运行情况记录表

2020年8月(一期)

企业单位名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	7.7824	83	15	14.4	0.49	104.26	/	678996	注: cod、氨氮 进出水 浓度均 为企业 自测数 据
2	8.8472	72.5	15	9.42	0.17	0	/		
3	9.176	179	15	10.9	0.59	0	/		
4	8.6088	189	15	12.7	0.14	0	/		
5	9.1656	111	15	8.45	0.12	0	/		
6	9.1264	80	15	13.2	0.13	61.57	/		
7	9.1616	87	15	12.9	0.74	62	/		
8	9.1984	97	15	11.9	0.59	0	/		
9	9.4752	196	15	13.7	0.92	68.84	/		
10	9.056	104	15	16.8	3.31	0	/		
11	7.5064	178	15	19.5	2.33	88.78	/		
12	8.4872	96	15	6.27	1.84	0	/		
13	8.4672	111	15	10.4	0.06	0	/		
14	9.2016	113	15	12.3	0.79	0	/		
15	8.9312	72	15	13.1	1.15	0	/		
16	9.1312	91	15	15.8	1.25	0	/		
17	8.468	60	15	16.2	1.38	46.96	/		
18	8.508	48	15	4.82	1.91	107.52	/		
19	8.8352	43	15	6.47	0.29	66.21	/		
20	9.0432	65	15	11.8	0.47	0	/		
21	9.1456	114	15	12.3	1.49	94.86	/		
22	9.3008	64	15	14.3	1.37	0	/		
23	9.1312	60	15	14.1	1.85	60.56	/		
24	9.188	42	15	14	0.76	0	/		
25	8.6872	117	15	18.1	1.06	35.23	/		
26	8.6576	186	15	18.5	2.66	0	/		
27	8.2584	117	15	16.4	0.16	71.28	/		
28	8.6688	106	15	23.9	0.65	0	/		
29	8.5512	171	15	21	1.16	79.25	/		
30	9.292	95	16	15.4	0.62	0	/		
31	8.1952	106	15	12.8	0.31	81.63	/		
合计 (或加权 平均)	273.2528	105	15	13.6	0.988	1028.95	/	678996	



## 污水处理厂运行情况记录表

### 2020年8月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	7.5297	152	15	13.9	0.47	0	/	665018	注：cod、氨氮 进出水 浓度均 为企业 自测数 据
2	8.6162	222	15	8.96	0.13	109.54	/		
3	8.9828	257	15	11.9	0.54	104.45	/		
4	8.3774	215	15	8.63	0.06	83.13	/		
5	8.9779	149	15	6.61	0.12	107.08	/		
6	8.9625	101	15	8.51	0.11	12.35	/		
7	9.0235	89	15	9.08	0.65	0	/		
8	9.0656	104	15	10.1	0.57	93.1	/		
9	9.3419	121	15	10.7	0.77	0	/		
10	8.8832	129	15	18.3	3.42	91.97	/		
11	7.2609	172	15.5	16.1	2.37	0	/		
12	8.1682	134	15	13.3	1.78	109.53	/		
13	8.154	106	15	12.1	0.08	100.81	/		
14	8.9947	137	15	17	0.75	71.78	/		
15	8.7748	116	15	17	0.96	104.32	/		
16	8.9923	203	15	17.9	1.19	64.07	/		
17	8.2964	130	17	19	1.52	35.48	/		
18	8.3322	165	15	8.78	1.93	0	/		
19	8.6587	104	15	8.89	0.4	0	/		
20	8.8969	145	15	13	0.47	69.34	/		
21	8.7135	135	17	16.9	1.44	0	/		
22	9.1749	126	16.5	15.9	1.32	99.87	/		
23	8.9958	98	15	14.4	1.93	0	/		
24	9.051	320	16.5	12.2	1.15	102.76	/		
25	8.543	144	20.5	19.6	1.24	71.28	/		
26	8.5392	140	15	17.6	2.32	80.19	/		
27	8.1269	154	15	18.6	0.7	12.35	/		
28	8.5399	157	15	18.2	0.65	98.68	/		
29	8.4126	167	15	17.5	0.92	0	/		
30	9.1672	128	15	12	0.41	90.53	/		
31	8.074	266	15.5	14.5	0.27	0	/		
合计 (或加权 平均)	267.6278	154	15.4	13.7	0.983	1712.61	/	665018	





# 污水处理厂运行情况记录表

2020年9月(一期)

企业名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	1.5056	87	15	12.5	2.38	19.32	/	695582	注: cod、氨氮进出水浓度均为企业自测数据。2020年9月1日7:10至2020年9月1日20:40, 停电, 全厂停产
2	6.4464	88	15	14.9	0.72	0	/		
3	9.6792	81	15	14.9	0.14	111.04	/		
4	9.0296	115	15	15.6	0.4	0	/		
5	10.0616	76	15	14.4	0.71	88.12	/		
6	9.5304	71	15	16	0.31	0	/		
7	10.1776	120	15	20.4	0.44	83.85	/		
8	10.1416	56	15	13.4	0.5	0	/		
9	8.8488	81	17	14.6	0.16	79.29	/		
10	8.2096	97	15	18.6	0.14	0	/		
11	8.4488	89	15	18.6	0.11	84.4	/		
12	8.812	47	15	9.22	0.13	0	/		
13	9.532	65	15	7.1	0.18	97.1	/		
14	9.6248	106	15	11.9	0.1	0	/		
15	10.1032	71	15	8.53	0.05	79.36	/		
16	10.0224	68	15	11.6	0.01	0	/		
17	9.8576	106	15	15.1	0.62	78.46	/		
18	9.436	55	15	12.4	0.65	0	/		
19	9.7072	47	15	10.3	0.25	81.29	/		
20	10.2112	102	15	11.8	0.14	0	/		
21	10.2784	74	15	10.7	0.6	76.05	/		
22	10.2464	108	15	23.3	0.57	86.33	/		
23	9.9008	82	15	16.3	0.18	85.71	/		
24	9.836	97	15	16.6	0.25	0	/		
25	8.9856	91	15	15.9	0.37	82.67	/		
26	9.9976	108	15	19.8	0.51	0	/		
27	9.0824	121	15	16.4	0.97	63.42	/		
28	9.2984	122	15	20.6	0.31	0	/		
29	8.8	96	15	15	0.15	73.15	/		
30	9.5496	101	15	15.9	0.11	0	/		
/	/	/	/	/	/	/	/		
合计 (或加权平均)	275.361	87.5	15.1	14.8	0.347	1269.56	/	695582	



## 污水处理厂运行情况记录表

### 2020年9月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率 80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	1.4308	128	15	13.4	1.42	0	/		
2	6.2892	102	15	14.1	0.76	96.05	/		
3	9.6326	129	15	15.1	0.1	0	/		
4	8.9603	100	15	11.6	0.48	78.46	/		
5	10.0397	114	16	14.4	0.95	0	/		
6	9.4668	105	15	16	0.26	89.44	/		
7	10.1607	89	15	16.4	0.42	0	/		
8	10.1073	88	15	14.3	0.44	76.53	/		
9	8.7495	86	18	17.3	0.1	0	/		
10	8.0924	104	15	16.1	0.14	97.65	/		
11	8.3327	74	15	15.8	0.15	0	/		
12	8.7108	148	15	15.1	0.11	110.97	/		
13	9.4635	183	15	11.7	0.39	0	/		
14	9.5515	132	15	9.35	0.12	100.55	/		
15	10.1736	103	15	8.28	0.12	0	/		
16	9.9804	165	15	9.1	0.09	90.06	/	690949	
17	9.824	247	15	14.9	0.59	0	/		
18	9.3594	101	15	11.5	0.56	79.43	/		
19	9.6159	100	15	9.43	0.33	0	/		
20	10.1554	159	15	10	0.14	76.19	/		
21	10.2321	111	15	13.6	0.59	0	/		
22	10.1982	158	15	15.5	0.52	0	/		
23	9.8387	90	15	14	0.21	0	/		
24	9.7534	69	15	12.3	0.25	73.22	/		
25	8.9117	82	15	12.1	0.41	0	/		
26	9.9972	77	15	13.1	0.53	56.59	/		
27	9.0319	121	15	17.4	0.9	0	/		
28	9.2407	145	15	18.5	0.35	84.67	/		
29	8.7195	99	18	14.5	0.13	0	/		
30	9.5069	75	15	9.22	0.08	57.55	/		
/	/	/	/	/	/	/	/		
合计 (或加权 平均)	273.527	116	15.2	13.4	0.357	1167.36	/	690949	

注：cod、氨氮进出水浓度均为企业自测数据。2020年9月1日7:10至2020年9月1日20:40，停电，全厂停产



# 污水处理厂运行情况记录表

2020年10月(一期)

企业单位名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	10.3096	109	15	9.64	0.15	92.73	/	738362	注: cod、氨氮 进出水 浓度均 为企业 自测数 据
2	10.1376	149	15	17.7	0.07	0	/		
3	10.1728	83	15	12.6	0.13	80.26	/		
4	10.1592	109	15	12.3	0.09	0	/		
5	10.28	107	15	8.5	0.08	114.53	/		
6	10.3448	60	15	10.7	0.16	0	/		
7	10.3176	64	16	12.6	0.12	93.22	/		
8	9.9952	94	15	14.1	0.14	0	/		
9	10.0376	109	15	21.3	0.1	122.98	/		
10	10.2016	63	15	16.6	0.16	0	/		
11	10.3577	86	15	15.7	0.51	86.74	/		
12	9.892	95	15	18.4	0.29	0	/		
13	8.6512	117	15	20.5	0.24	89.12	/		
14	10.1016	138	15	18.2	0.67	0	/		
15	9.6616	160	15	17.2	0.9	112.65	/		
16	10.064	70	15	14.9	0.08	0	/		
17	10.736	92	17	14	0.13	100.02	/		
18	10.5592	144	18	20.4	0.01	0	/		
19	10.6304	91	15	14	0.47	82.56	/		
20	10.6904	75	15	15	0.49	0	/		
21	10.4456	89	15	20.5	0.69	85.76	/		
22	10.508	103	15	13.6	0.61	0	/		
23	10.6504	/	15	13.8	0.03	80.35	/		
24	10.5264	80	15	11.7	0.58	0	/		
25	10.8208	79	15	11.3	0.18	63.7	/		
26	10.2208	78	15	14.4	0.35	0	/		
27	10.0976	92	15	14.4	0.32	76.17	/		
28	10	69	15	7.53	0.06	83.22	/		
29	10.096	127	15	13.4	0.14	27.06	/		
30	9.9496	84	15	18.1	0.08	0	/		
31	9.5752	102	15	14.6	0.02	65.18	/		
合计 (或加权 平均)	316.191	97	15.2	14.7	0.26	1456.25	/	738362	




## 污水处理厂运行情况记录表

### 2020年10月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	10.3304	134	20	11.9	0.17	0	/	738677	注：cod、氨氮 进出水 浓度均 为企业 自测数 据
2	10.1474	135	15	19.2	0.06	82.38	/		
3	10.1978	115	15	17.3	0.09	0	/		
4	10.1642	132	15	17.5	0.34	103.55	/		
5	10.3136	123	15	9.5	0.07	0	/		
6	10.3595	83	15	12.7	0.1	96.25	/		
7	10.3197	117	15	15.9	0.14	0	/		
8	9.9606	110	15	17.8	0.19	89.69	/		
9	10.0052	131	15	14.1	0.13	0	/		
10	10.1814	71	15	14.3	0.12	92.4	/		
11	10.3736	110	15	15.9	0.48	0	/		
12	9.8544	174	15	17.1	0.33	104.7	/		
13	8.5473	113	15	18.7	0.28	0	/		
14	10.0784	85	15	16.4	0.66	61.08	/		
15	9.5857	207	15	19.9	0.89	0	/		
16	10.0256	69	15	20.5	0.1	81.25	/		
17	10.7374	78	15	13.6	0.14	0	/		
18	10.5309	86	15	15.2	0.01	75.59	/		
19	10.6265	116	15	17.6	0.4	0	/		
20	10.7442	120	15	17.5	0.4	84.12	/		
21	10.4849	135	15	18.8	0.65	0	/		
22	10.5469	109	15	16.8	0.54	102.48	/		
23	10.6964	/	15	12.7	0.02	0	/		
24	10.556	87	15	14.2	0.63	107.65	/		
25	10.8571	78	15	10.9	0.21	0	/		
26	10.2306	81	17	16.9	0.3	87.97	/		
27	10.0961	140	15	16.9	0.35	0	/		
28	10.0139	109	15	7.04	0.03	0	/		
29	10.1475	120	15	14.5	0.12	0	/		
30	10.0066	78	19	15.1	0.08	95.84	/		
31	9.6056	78	15	16	0.11	0	/		
合计 (或加权 平均)	316.325	110	15.4	15.5	0.262	1264.95	/	738677	



# 污水处理厂运行情况记录表

2020年11月(一期)

企业单位名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	9.5464	120	25.5	13.4	0.13	122.75	/	688981	注: cod 、氨氮 进出水 浓度均 为企业 自测数 据
2	9.6024	72	15	17.6	0.16	0	/		
3	9.6752	157	26	16.9	0.14	111.39	/		
4	9.2984	140	25	20.5	0.24	0	/		
5	9.7616	157	15	15.9	0.46	71.84	/		
6	9.4968	78	20	15.7	0.56	0	/		
7	9.88	83	15	13.6	0.71	64.24	/		
8	9.7896	/	15	12.7	0.05	0	/		
9	9.8872	/	15	11.6	0.2	99.79	/		
10	9.8048	77	17	13.3	0.12	0	/		
11	9.9136	79	15	15.5	0.12	132.15	/		
12	9.8496	113	15	15.9	0.19	0	/		
13	9.7384	81	15	16.9	0.01	46.09	/		
14	9.22	93	15	16.7	0.14	0	/		
15	9.8728	70	17.5	14.1	0.14	0	/		
16	9.9704	92	15	17	0.19	0	/		
17	9.1552	110	15	19.4	0.2	68.08	/		
18	9.892	88	17.5	15.9	0.12	0	/		
19	9.816	112	15	19.6	0.18	77.72	/		
20	9.6832	118	16	18.6	0.13	0	/		
21	9.7048	147	15	18.2	0.2	108.28	/		
22	10.0144	86	15.5	18.6	0.14	0	/		
23	9.6256	101	15.5	16.7	0.16	115.56	/		
24	9.7736	105	16.5	18.2	0.17	0	/		
25	9.6104	95	15	19.1	0.22	82.95	/		
26	9.248	98	16.5	19.1	0.26	0	/		
27	9.7936	105	15	18.3	0.13	87.69	/		
28	9.5296	144	15	19.7	0.14	0	/		
29	9.5304	165	15	21.1	0.44	58.76	/		
30	8.924	/	15	14	0.19	0	/		
/	/	/	/	/	/	/	/		
合计 (或加权 平均)	289.608	107	16.6	16.8	0.208	1247.29	/	688981	



## 污水处理厂运行情况记录表

### 2020年11月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	9.6109	86	19.5	14	0.15	0	/	690943	注：cod、氨氮 进出水 浓度均 为企业 自测数 据
2	9.6536	113	15	17	0.19	43.3	/		
3	9.7269	111	16	16.8	0.17	0	/		
4	9.3008	114	15	15.9	0.24	68.57	/		
5	9.8121	115	19	15.8	0.62	0	/		
6	9.5208	128	16.5	17.2	0.2	73.47	/		
7	9.9472	111	15	18.4	0.6	0	/		
8	9.8448	137	15	14.5	0.1	81.89	/		
9	9.9504	116	23	16.1	0.37	0	/		
10	9.8488	102	18	16.5	0.23	84.99	/		
11	9.9952	116	20	19.1	0.14	0	/		
12	9.932	90	15	19.1	0.2	100.93	/		
13	9.8184	115	15	21.4	0.04	0	/		
14	9.2688	126	15	18.5	0.14	59	/		
15	9.96	117	15	18.2	0.21	77.96	/		
16	10.0512	184	22.5	20.9	0.19	82.54	/		
17	9.1888	140	21.5	21.6	0.21	0	/		
18	9.9264	116	26.5	18.5	0.24	114.09	/		
19	9.8368	115	15	17.3	0.38	0	/		
20	9.7096	183	15.5	20	0.12	80.58	/		
21	9.7224	185	15	20.7	0.11	0	/		
22	10.0608	131	19	22.6	0.23	80.91	/		
23	9.6424	119	15	20.5	0.19	0	/		
24	9.772	152	21.5	20.4	0.19	65.54	/		
25	9.5888	182	18	23.3	0.28	0	/		
26	9.1872	220	15	23.6	0.3	75.19	/		
27	9.7656	152	19	19.4	0.22	0	/		
28	9.4712	159	15	17.8	0.18	55.9	/		
29	9.4784	94	15	14.7	0.32	0	/		
30	8.84	176	15	22.4	0.22	69.14	/		
/	/	/	/	/	/	/	/		
合计 (或加权 平均)	290.4323	133	17.4	18.7	0.233	1214	/	690943	



# 污水处理厂运行情况记录表

2020年12月(一期)

企业单位名称(盖章): 中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	8.384	85	17	18.2	0.18	0	/	701913	注: cod、氨氮 进出水 浓度均 为企业 自测数 据
2	9.088	81	15	18.1	0.16	0	/		
3	9.0408	112	15	21.8	0.23	0	/		
4	9.0272	83	15	19.3	0.32	0	/		
5	8.836	76	15	17.5	0.49	31	/		
6	8.7096	67	15	11	0.1	0	/		
7	8.948	118	15	21.8	0.3	0	/		
8	8.808	127	15	18	1	0	/		
9	9.196	112	15	18.2	0.2	0	/		
10	8.9432	93	15	16.2	0.23	0	/		
11	8.8008	90	15	22.2	0.35	0	/		
12	9.1736	180	15	21.3	1.09	0	/		
13	8.8208	119	15	25.4	1.23	0	/		
14	8.9568	107	15	23.4	0.61	0	/		
15	9.1736	115	15	16.8	0.35	111.59	/		
16	9.0544	109	15	19.9	0.77	0	/		
17	9.1552	78	15	15.4	0.48	126.24	/		
18	9.1064	117	15.5	14.4	0.14	56.37	/		
19	9.2296	152	15	16	0.86	139.46	/		
20	9.3712	100	15	16.5	0.97	0	/		
21	9.5144	125	23	18.4	0.78	108.19	/		
22	9.3992	140	15	18	0.81	0	/		
23	9.1696	162	15	21.2	0.24	116.77	/		
24	8.2064	180	15	22.9	0.14	0	/		
25	7.8112	132	15	20.5	0.48	136.42	/		
26	8.3856	165	15	19.2	0.27	0	/		
27	8.524	144	18	19.8	0.14	138.66	/		
28	8.6744	186	15	20.7	0.99	0	/		
29	9.3792	134	15	17.4	0.3	117.57	/		
30	9.7216	130	15	18.3	0.19	0	/		
31	9.4968	109	15	18.3	0.28	62.09	/		
合计 (或加权 平均)	278.1056	120	15.4	18.9	0.476	1144.36	/	701913	



## 污水处理厂运行情况记录表

### 2020年12月（二期）

企业单位名称（盖章）：中山市污水处理有限公司

日期	处理水量 (万吨)	COD (毫克/升)		氨氮 (毫克/升)		污泥产生量 (含水率80%) (吨)	回用水量 (万吨)	用电量 (千瓦时)	备注
		进水	出水	进水	出水				
1	8.2503	150	24	23	0.41	48.98	/	693351	注：cod、氨氮 进出水 浓度均 为企业 自测数 据
2	8.7229	159	15	20.2	0.27	60.48	/		
3	8.94	140	15	22.1	0.29	66.2	/		
4	8.9064	149	15	20	0.27	78.8	/		
5	8.7208	126	15	19.3	0.33	59.68	/		
6	8.5888	151	15	21.7	0.04	67.27	/		
7	8.8432	135	15	22	0.36	68.88	/		
8	8.7152	117	15	22.6	0.38	86.21	/		
9	9.1152	118	15	20.7	0.62	63.79	/		
10	8.8248	146	15	20	0.05	70.4	/		
11	8.6848	145	15	22.4	0.46	102.39	/		
12	9.0648	109	15	23	1.17	72.46	/		
13	8.6992	172	15	21.2	1.27	90.86	/		
14	8.8288	156	15	22.5	0.62	54.05	/		
15	9.088	101	15	16.7	0.31	0	/		
16	8.9	126	15	19.3	0.78	124.54	/		
17	8.6404	156	15	19.4	0.69	0	/		
18	8.9955	108	15	18.9	0.08	0	/		
19	9.1152	171	15	17.6	1.04	0	/		
20	9.256	214	15	18.2	1.16	116.95	/		
21	9.4264	160	15	18.6	0.67	0	/		
22	9.448	118	15	19	0.65	89.97	/		
23	9.1384	206	15	23.1	0.25	0	/		
24	8.1112	177	15	23.8	0.18	138.39	/		
25	7.7024	182	15	21.5	0.44	0	/		
26	8.3176	208	15	21.9	0.22	118.38	/		
27	8.4576	226	15	24.8	0.17	0	/		
28	8.6304	213	15	21.3	0.86	124.27	/		
29	9.3624	127	15	21.2	0.62	0	/		
30	9.7456	170	18.5	18.7	0.13	127.22	/		
31	9.4728	152	15	20.2	0.31	0	/		
合计 (或加权 平均)	274.7131	154	15.4	20.8	0.49	1830.17	/	693351	